



ProVia
THE PROFESSIONAL WAY

ENTRY DOORS

PLATINUM DEALER
EDITION



ENTRY
DOORS



PROVIA® BUILDS DOORS THE PROFESSIONAL WAY

ProVia caters to a niche within the door market that demands a high degree of customization coupled with outstanding quality. Our company defines the products that meet this demand as “professional-class.” We have found success by adhering to a set of core values that guide us as we develop rewarding, long-term relationships with our employees, customers and homeowners.

WHAT MAKES PROVIA PROFESSIONAL-CLASS?

ENTRY SYSTEMS **TAILORED** FOR YOUR HOME

Today’s off-the-rack consumer-grade doors, which are mass-produced and not customized for your home, often fall short of expectations and performance.

These shortcomings are the driving force behind ProVia’s custom entry doors, built to your home’s exact measurements for a precise fit, protection, security, and energy efficiency. The materials that go into our custom-made doors are premium quality and exceptionally durable, far surpassing the ready-made doors at the big-box hardware stores, and our craftsmanship and care for details can be seen in each door we produce.



SECURITY | We ensure the strength and security of every door, so you have peace of mind and can focus on what’s really important - your life.



DURABILITY | Crafted with the finest materials and backed by our Lifetime Limited Transferable Warranty, the durability of our products can’t be beat.



BEAUTY | A beautiful ProVia entry system will always greet your guests with classic elegance and style.



ENERGY EFFICIENCY | Engineered to keep the elements at bay and your home comfortable all year long.

WHAT IS A **PLATINUM DEALER**?

As the manufacturer, our Platinum Dealers mean a lot to us. We believe they greatly benefit you as a homeowner with their vast experience to expertly guide you through the exciting process of selecting the perfect new ProVia product for your home.

Platinum is a performance-based recognition program for companies who have demonstrated the highest level of commitment to selling and installing ProVia products. You couldn’t ask for a better partner in making your purchase.





ENTRY DOORS

| | |
|-------------------------------------|------|
| Components..... | 5-8 |
| Embarq® Fiberglass Features..... | 9-12 |
| Signet® Fiberglass Features | 13 |
| Heritage™ Fiberglass Features | 15 |
| Legacy™ Steel Features | 17 |
| 8' Doors..... | 19 |
| French Doors..... | 21 |
| Inscribed Doors..... | 23 |
| Doors Without Glass..... | 25 |
| Glass Options..... | 27 |
| Simulated Divided Lites | 29 |
| Simulated Divided Panels | 31 |
| Internal Grids..... | 33 |
| External Grids..... | 36 |

FINISHING TOUCHES

| | |
|--------------------------|-------|
| Stain Finishes..... | 37-40 |
| Paint Finishes..... | 41 |
| Hardware..... | 43-59 |
| Accessories | 60-62 |
| Pet Doors..... | 63 |
| Casing and Cladding..... | 64 |

PATIO DOORS

| | |
|-------------------------|----|
| Hinged Patio Doors..... | 65 |
|-------------------------|----|

STORM DOORS

| | |
|-------------------|----|
| Storm Doors | 67 |
|-------------------|----|



INDUSTRY ASSOCIATION

ProVia is a proud member of the Window and Door Manufacturers Association (WDMA) and American Architectural Manufacturers Association (AAMA) - leading voices in our industry. As such, we support advocacy in building code and ASTM standard arenas, quality materials, installation and design in doors and windows.

WE'RE BUILDING YOUR DOORS AND OUR
COMPANY TO LAST A LIFETIME-
THAT'S THE PROFESSIONAL WAY.

**MULTI
TIME**

Partner of the
Year Award



90%+ of Windows and Doors
are ENERGY STAR®
Certified

Serving
alongside



DOORS | WINDOWS | SIDING | STONE | ROOFING



6 Facilities in the United States

1,900+

Associates Nationwide

Doing Business Since

1977

19

Core Values

200+

Metric Tons of CO²
Saved Annually

8,500+

Tons of metals, paper, glass and vinyl
recycled annually at ProVia facilities



If you ask around, you'll find attention to detail is what our customers have come to appreciate and expect from the ProVia brand. Our company is family-owned and faith-based with an intense focus on producing Professional-Class products. ProVia feels so strongly about the performance and workmanship of our entry systems—built by skilled craftspeople with state-of-the-art manufacturing processes—that they are backed with a **Lifetime Limited Warranty**, which is even transferable to one subsequent owner.



STYLE YOUR WAY

TAILORED **JUST FOR YOU** AT THE HIGHEST STANDARDS.

SECURITY | DURABILITY | BEAUTY | ENERGY EFFICIENCY

We make it easy for you to make the right choice. When you combine your selected door style, door glass, paint or stain finish, plus hardware and accessories, the end result is a customized entryway that reflects your personalized style.

DESIGNING YOUR DOOR


Imagine Your Entryway with a New Look. ProVia offers you endless possibilities to create a front door that provides a warm, welcoming entry to your home. To simplify the experience, we've categorized the selection process here to get you started. These ideas are just the beginning – you'll discover a myriad of additional color and style options throughout this catalog.

1 DOOR SKIN


Fiberglass and Steel door skins are available in a variety of textured and smooth options.

FIBERGLASS

SIGNET® SKIN OPTIONS



EMBARQ® SKIN OPTIONS



HERITAGE™ SKIN OPTIONS




STEEL

LEGACY™ SKIN OPTIONS



2 CONFIGURATION

Find and customize a configuration that best fits the opening of your home.**



3 DOOR STYLES

Your home should reflect your personality. That's why you'll find a wide selection of styles to suit your taste.*




4 GLASS

Select from a full line of decorative, art, clear and privacy glass, simulated divided lites, grid styles and internal blinds.**



5 FINISH

Our stain and glazed finishes are hand-applied by professional craftsmen for maximum beauty, then oven cured for a strong finish. Paint finishes are factory applied for a long-lasting, durable finish.*



6 HARDWARE & ACCESSORIES

A variety of hardware brands provide some of the most stylish, durable hardware available today. Sometimes the smallest things make the biggest difference. Our accessories add a lot to the look of your entry system.*



7 ADD A STORM DOOR

Protect, enhance and ventilate your entryway with a storm door, while adding an extra measure of security.**



*See Entry Door catalog for all available options.

**Visit provia.com or see respective product brochures for all available options.

THE COMPONENTS

The components are the small things that set our doors apart from the competition. A lot of small things add up to a big difference.



Your home is unique and deserves to have **custom glass options** like our ComforTech™ Warm Edge Glazing Systems which include decorative glass, art glass, internal blinds and internal and external grids in many grid patterns and colors.

 Impact Shield doors feature laminated glass.



Our **2½" casing** conveniently covers paint lines providing a professional installation. **Also available in 3½"**. Choose from Cherry, Mahogany, Oak and Poplar. Flat Fir and Poplar trim are available in paint, stain and glazed finishes.



High-performance, heat-resistant glass trim is warranted not to warp, crack or pull away from the door, even in sunny or higher temperature applications. **Plugless glass trim** is standard on Embarq® and Signet® and optional for Heritage™† and Legacy™†.

1. Smooth (standard on select Signet Smooth doors and sidelites, optional on select Heritage Smooth and Legacy Smooth doors and sidelites) **2.** Embarq and Signet Cherry and Mahogany **3.** Embarq and Signet Oak and Knotty Alder **4.** Signet Fir **5.** Heritage and Legacy **6.** Modern Flat Trim (only available on models 112, 114, 115, 116 and 160 sidelites)

† See entryLINK for available styles.

C



The **Z-AC™ threshold** has an auto-adjusting riser and built-in sealing system that redefines how your door can perform for you. Standard on Embarq, Signet and Legacy.

- **Automatically adjusts** to your entry door's changing needs over time, eliminating service calls
- Delivers **protection** against air and water infiltration

D



Three **heavy-duty ball bearing hinges** come standard with every entry system.

Additional 4th hinge option for greater durability. (only available with FrameSaver®)

A 4th hinge is standard on 8 ft. doors.

E




The energy-efficient **weatherstripping** runs along the top and sides of the door and interlocks with the CornerShield™ for the most efficient seal you'll find for keeping moisture, wind and dirt out of your home.

F



We include our **20-gauge security plate** for extra strength and to help prevent kick-ins.

G



An exclusively designed **fully adjustable strike plate** is included. This unique 2-piece construction makes our doors easier to custom fit.

H



The **dust box** in the deadbolt strike provides a barrier to air infiltration while providing a nice appearance that most other door manufacturers don't provide.

H



Bulb and dual blade sweep virtually eliminates drafts, keeping your home comfortable.

I

THE COMPONENTS

FRAMES

FrameSaver®

FrameSaver wood frame and brickmold with finger-jointed composite bottom prevents water absorption and carries a Lifetime Limited Warranty when used with **PVC vinyl coated aluminum frame cladding** outside.

Also available with smooth cladding.




PermaTech™



Our **PermaTech™ Composite door frame system** option combines all the strength and convenience of wood with enhanced properties that make it moisture and insect resistant. PermaTech will not absorb or wick moisture and will never rot or splinter, and is covered by a Lifetime Limited Warranty.*

* No storm door applied. See full warranty for limitations.

Steel L-Frame



Available on select Signet and Legacy door styles

● Aluminum door stop provides greater security and is more durable than wood

● Energy efficient weatherstripping

● 18-gauge steel L-frame with a 12-gauge hinge plate welded on for extra strength and security

(NOT tested for Certified Wind Load or Impact Shield regions)

Not all Steel L-Frames are ENERGY STAR® certified.

FusionFrame™

FusionFrame: A one-of-a-kind alternative to composite or wood jambs, this component utilizes the strength of an LVL interior, the rot-proof performance of a FrameSaver® bottom, and the durability of a composite frame exterior. Offering a lifetime jamb warranty*.

PREFINISHED, MAINTENANCE-FREE

Available as a textured or smooth frame, providing you with the benefit of a prefinished, maintenance-free system, along with the beauty of a stain or paint finish that matches your entry door.

Not available for outswinging doors. See entryLINK for complete limitations and restrictions.

**Finish warranty will match the finish warranty of door series*


Standard Brickmold (Smooth)



All FusionFrame options are available in textured or smooth.



NEW 3½" Flat Rippable Brickmold (Textured)



FLOATING BRICKMOLD

Even if your walls aren't plumb, your door unit can be. With 1/4" of "float," the floating brickmold adjusts to fit your needs. Remove covers, install fasteners and reattach covers for a flawless, clean install.



INSTALLATION HOLES

Pre-drilled holes in frame for ease of installation.



COMPOSITE BOTTOM

Prevents water absorption, warping and rotting.



PLUMB INDICATOR

Removable frame stop cover allows for concealed plumb indicator and fasteners.

- Installation made easy
- Removable frame and brickmold covers
- Eliminates unsightly fastener holes




ULTIMATE FLEXIBILITY


Get ultimate flexibility between 4⁹/₁₆" and 8⁹/₁₆" frame widths.

NEW FOR FUSION FRAME

Mull Cover for 1" Build-Up



Transom Cover 4³/₁₆" up to 6³/₁₆" jambs



3½" * Rippable Brickmold to 2" – Thickness of 1½"



*Ripping brickmold produces a rough-cut edge which will be painted or stained, but not exactly match the original textured or smooth finish.




EMBARQ® FIBERGLASS

EXCEPTIONAL EFFICIENCY, ELEGANT AESTHETICS

The Embarq fiberglass entry door from ProVia sets the standard for exceptional energy efficiency. The innovative design includes engineered channels in the side rails and header, and a polyurethane core with significantly more insulating value than a typical fiberglass door. This 2 1/2" thick robust entry door is not only highly durable – it's gorgeous as well, with the authentic look of rich, handsome wood.

EMBARQ SKIN OPTIONS





ALL Embarq Fiberglass Entry Systems are ENERGY STAR® Certified.

15-YEAR FINISH WARRANTY*


See pgs. 37-42 for paint and stain finishes.



EMBARQ FIBERGLASS DOOR STYLES




SIDELITES



- ⌘ Embarq® Cherry
- Embarq® Mahogany
- +
- Embarq® Knotty Alder

*Warranty time period may be limited in extreme applications. See warranty for details.

Stiles and rails are dovetailed and glued at each corner creating a structurally solid, integrated frame.



We engineered a channel in the side rails and header of the door to allow for a **larger energy-efficient polyurethane core**. Our computer-controlled process fills every crevice with the foam barrier material resulting in **a level of energy efficiency unparalleled in the industry**.

We started from the inside out to maximize energy savings and reduce thermal loss, resulting in the most energy-efficient door in the U.S. market. In fact, this door offers **significantly more insulating value than a typical fiberglass entry door**, giving an unprecedented U-Factor of up to 0.09 - the lowest recorded heat conduction measurement for entry doors in the U.S.

The authentic wood look is made possible by using cutting-edge **NVD** (Nickel Vapor Deposition) technology by MasterGrain™.

Scientifically formulated compounds provide superior resistance to denting, splitting, cracking and warping.

To enhance efficiency and accommodate more insulation, we thickened the door and sidelites from the standard 1 1/4" to 2 1/2" which is **43% thicker** than standard exterior doors. We also engineered a **dual-perimeter seal** for the entry door to create a superior barrier against drafts and energy leaks.

Door edge is constructed with Cherry, Mahogany or Oak wood matching the selected series.

The **4 1/4" finger-jointed 4-ply hardwood strike stile** provides a solid mounting surface for Emtek® hardware and superior structural integrity.

The revolutionary **DuraFuse™ Finishing System featuring P³ Fusion** yields unprecedented finish durability.

A custom-designed a sweep accommodates the Embarq door's added thickness. This creates a new breed of thermal barrier to keep out unwanted elements and uncomfortable temperatures.

Z-AC Threshold with auto-adjusting riser. Standard with anodized bronze finish.



EMBARQ® FIBERGLASS

QUAD GLASS SYSTEM

For an entry door as uncompromising as Embarq, only the most energy efficient glass package will do. The Quad Glass System utilizes a 1¹³/₁₆" insulated unit with two panes of low-e glass and warm-edge spacers. Available only with Embarq fiberglass doors and sidelites, the system provides optimal energy efficiency.

- A** Low-E Glass Surface
- B** Krypton Filled Air Space
- C** Argon Filled Air Space
- D** Decorative Glass Core (optional)
- E** Super Spacer®
- F** Barrier Sealant
- G** We re-engineered our ComforTech Warm Edge Glazing System to accommodate for the extra panes of glass in this highly efficient package.

EMBARQ GLASS PACKAGES

ComforTech™ **QLK**
(Krypton Gas Filled)



R-Value of 10

ComforTech™ **QLA**
(Argon Gas Filled)



R-Value of 9

R-Value reflects properties of the glass only.
Embarq glass package center of glass calculations.



QLK 1¹³/₁₆"
Insulated Glass Unit

HARDWARE

Embarq doors are only available with Emtex® hardware pictured below. See pg. 53-54 for finish availability.

EXTERIOR STYLES



Melrose Orleans Marietta Davos

INTERIOR STYLES



Egg (Recommended on Melrose) Egg (Recommended on Marietta) Cortina (Recommended on Orleans) Stuttgart (Recommended on Davos)



440 2P Embarq door shown in Dutch Gray glazed finish, Laurence decorative glass and chinchilla privacy sidelites with Melrose hardware

SIGNET® FIBERGLASS

Signet Fiberglass doors are available in Mahogany, Cherry, Oak, Knotty Alder, Fir and Smooth Series. Structurally, the Signet door is far superior to traditional fiberglass doors with robust hardwood stiles and rails dovetailed at each corner. All Signet Fiberglass doors exhibit our exclusive DuraFuse™ Finishing System featuring P³ Fusion, allowing us to offer an industry-best 15-year* finish warranty.

SIGNET SKIN OPTIONS



CUSTOM WIDTHS & HEIGHTS

Need a little more height or a little less width? We offer customized door and sidelite widths and heights in 1/8" increments.



CUSTOMIZE BOTH SIDES

You can customize your entry by ordering a different series, style and finish on each side of your door.




Most Signet Fiberglass Entry Systems are ENERGY STAR® Certified.


15-YEAR FINISH WARRANTY*

See pgs. 37-42 for paint and stain finishes.

SIGNET FIBERGLASS DOOR STYLES



SIDELITES



- ⌘ Signet Cherry
- Signet Mahogany
- + Signet Oak
- Signet Knotty Alder
- ↪ Signet Fir
- ◻ Signet Smooth
- △ Available in 30" Single or 60" French Doors

Entry System U-Factor: As low as .16 (Tested to NFRC specifications for a 6 panel door with wood frame).

Note: All Signet doors are shipped finished.

* Warranty time period may be limited in extreme applications. See warranty for details.

† Patents - USD617005, USD621062, USD621063, USD625837, USD625024



The inside door **frame is hand-stained or painted to match your door** providing you with a consistent visual appearance. (Signet doors are also available with a Steel L-frame.)



Stiles and rails are dovetailed and glued at each corner creating a structurally solid, integrated frame.



The **2 1/2" finger-jointed 3-ply hardwood hinge stile** provides superior structural integrity.

Signet doors are **foam filled by a computer driven process** that ensures the optimal foam fill for maximum efficiency and strength.

The **authentic wood look** is made possible by using cutting-edge **NVD** (Nickel Vapor Deposition) technology by MasterGrain™.

Scientifically formulated compounds provide superior resistance to denting, splitting, cracking and warping.

High-definition panel profile creates excellent shadow lines and distinct panel designs.

Plugless Glass Trim is standard on Signet.
U.S. Patent: 9,562,389
U.S. Patent: 9,976,338

Door edge is constructed with Cherry, Mahogany, Oak or Fir wood matching the selected series.



The **4 1/4" finger-jointed 4-ply hardwood strike stile** provides a solid mounting surface for decorative hardware and superior structural integrity.

The revolutionary **DuraFuse™ Finishing System featuring P³ Fusion** yields unprecedented finish durability.



Z-AC Threshold with auto-adjusting riser. Standard with anodized bronze finish.




A high-performance, composite material is used on all Signet fiberglass bottom rails, giving excellent rot-resistance.

HERITAGE™ FIBERGLASS

Heritage Fiberglass doors feature enhanced woodgrain texture, improved definition embossing and a hardwood edge to prevent warping.

HERITAGE SKIN OPTIONS



CUSTOM HEIGHTS

Need a little more or a little less height? We offer customized door and sidelite heights in 1/8" increments.





Most Heritage Fiberglass Entry Systems are ENERGY STAR® Certified.


10-YEAR FINISH WARRANTY*

See pgs. 40-42 for paint and stain finishes.

HERITAGE FIBERGLASS DOOR STYLES



SIDELITES



- Oak Grain
- Smooth Fiberglass
- △ Available in 30" Single or 60" French Doors

 Only Heritage Fiberglass doors without glass are available as an Impact Shield Product.

Entry System U-Factor: As low as .14 (Tested to NFRC specifications for a 6 panel door with wood frame).

* Warranty time period may be limited in extreme applications. See warranty for details.



Polyurethane core reduces energy loss.

Improved definition panel profile creates excellent shadow lines and distinct panel designs.

Specially engineered fiberglass door facings will not dent and resist splitting, cracking and warping.

Plugless Glass Trim is optional on Heritage Fiberglass. (see entryLINK for available styles)

U.S. Patent: 9,562,389
U.S. Patent: 9,976,338

ZAI™ threshold has a manually-adjustable riser with complementary screw cover caps. Standard with aluminum mill finish.

1 1/8" Finger-jointed, 2-ply solid oak laminated stiles for both hinge and strike sides are proven to provide increased rigidity and structural integrity.

Variable-depth woodgrain texture with hand-applied stain imitates a wood door appearance.

Square-edge design offers an attractive wood door appearance.




Lock area is reinforced to provide a solid mounting surface for decorative hardware.

A high-performance, composite material is used on all Heritage fiberglass bottom rails, giving excellent rot-resistance.

LEGACY™ STEEL

Legacy Steel features add up to a professional-class product. Whether you select Legacy Woodgrain Textured Steel or Smooth Steel, our entry systems will provide an elegant, durable and energy efficient addition to any home.

LEGACY SKIN OPTIONS



CUSTOM WIDTHS & HEIGHTS

Need a little more height or a little less width? We offer customized door and sidelite widths and heights in 1/8" increments.



CUSTOMIZE BOTH SIDES

You can customize your entry by ordering a different series, style and finish on each side of your door.



Most Legacy Steel Entry Systems are ENERGY STAR® Certified.

10-YEAR FINISH WARRANTY*

See pgs. 40-42 for paint and stain finishes.

Legacy Steel Doors with full-lite or half-lite decorative glass with ComforTech™ glazing will include a pane of Low-E glass in order to be ENERGY STAR certified. This includes the following styles; 150, 230, 239, 240, 350, 430, 437, 439 and 460. Since Low-E glass has a slight color tint, it is recommended that sidelites and transoms are ordered with optional Low-E pane to match the door.

LEGACY STEEL DOOR STYLES

| | | | | | | | | | | | | | | | |
|----------------|------------------|---------------|----------------|----------------|---------------|-----------------|-------------------|-------------------|-----------------|-------------------|-----------------|------------------|---------------|----------------|---------------|
| 400 ○◆△ | 110 ◆ | 112 ◆△ | 113 ◆ | 114 ◆△ | 115 ◆ | 116 ◆ | 437-1P ▲ | 437-1PP ▲ | 437-2P ▲ | 430-2P ○◆△ | 430-1P ◆ | 430-1PP ◆ | 230 ◆△ | 439 ○◆△ | 239 ◆△ |
| 150 ◆ | 440-2P ○◆ | 240 ○◆ | 350 ○◆△ | 460 ○◆△ | 420S ■ | 420-2P ◆ | 420-4P ○◆△ | 419-4P ○◆△ | 206 ○◆△ | 410 ○◆△ | 001 ○◆△ | 002 ◆ | 002S ■ | 003C ◆ | 003S ■ |

| | | | | | | | | | | | | |
|-------------------|--------------------|--------------|----------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|
| 002C-437 ◆ | 002CP-437 ◆ | 003 ◆ | 006 ○◆△ | 005S ■ | 009 ◆ | 008 ◆ | 106 ▲ | 130 ▲ | 139 ▲ | 140 ▲ | 160 ▲ | 460 ○◆ |
|-------------------|--------------------|--------------|----------------|---------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|

SIDELITES

- 20-gauge Woodgrain Textured Steel
- ◆ 20-gauge Smooth Steel
- ◆ 20-gauge Smooth Steel with High-Definition Embossing
- ◆ 24-gauge Smooth or Textured Steel (used with all 20-gauge doors)
- 20-gauge smooth shaker
- △ Available in 30" Single or 60" French Doors

Entry System U-Factor: As low as .17 (Tested to NFRC specifications for a 6 panel door with wood frame).


* Warranty time period may be limited in extreme applications. See warranty for details.

† Patent - USD621062

▲ NOT available as an Impact Shield product



Composite top endcaps increase rigidity and energy efficiency.



Special adhesives/thermal barrier reduce heat and cold transfer, while our exclusive tab and slot system of **mechanical interlocks** gives the door exceptional structural strength.

ProVia doors are **foam filled by a computer driven process** that ensures the optimal foam fill for maximum energy efficiency and strength.

The edges and face skin of our steel doors are **one continuous piece of steel** for strength and durability.

To reinforce the lock and deadbolt area, we add a **rigid composite lock block** to all of our steel doors.

Plugless Glass Trim is optional on Legacy Steel. (see entryLINK for available styles)
U.S. Patent: 9,562,389
U.S. Patent: 9,976,338

Our 20-gauge steel doors give you **49% more galvanized steel** than a standard 24-gauge door.



Composite bottom endcaps increase rigidity and energy efficiency.

Z-AC Threshold with **auto-adjusting riser**. Standard with aluminum mill finish.




8' DOORS

Taller than standard doors, 8' doors provide a majestic first impression. Choose from many available glass and door styles. Multi-point hardware is required on all 8' fiberglass doors. See pages 45-50 for more information on Panolock®, Trilennium® and Hoppe® hardware.




002CP-437 8' Signet Knotty Alder Door in Espresso with Westcott Trilennium hardware in Rustic Bronze and direct set 8' sidelites

SIGNET FIBERGLASS DOOR STYLES



SIDELITES




- ⌘ Signet Cherry
- Signet Mahogany
- + Signet Oak
- Signet Knotty Alder
- ⌘ Signet Fir
- ⌘ Signet Smooth
- ◆ Only available in 42" x 96" size

Entry System U-Factor: As low as .16 (Tested to NFRC specifications for a 6 panel door with wood frame).
 Note: All Signet doors are shipped finished.


* Warranty time period may be limited in extreme applications. See warranty for details.
 † Patents - USD617005, USD621062, USD621063, USD625837, USD625024

HERITAGE FIBERGLASS DOOR STYLES




- Oak Grain
- ⌘ Smooth Fiberglass

SIDELITES



Entry System U-Factor: As low as .14
 (Tested to NFRC specifications for a 6 panel door with wood frame).
 * Warranty time period may be limited in extreme applications. See warranty for details.

LEGACY STEEL DOOR STYLES



- 20-gauge Woodgrain Textured Steel
- ◆ 20-gauge Smooth Steel
- ❖ 20-gauge Smooth Steel with High-Definition Embossing
- ▲ 24-gauge Smooth or Textured Steel (used with all 20-gauge doors)

SIDELITES



Entry System U-Factor: As low as .17 (Tested to NFRC specifications for a 6 panel door with wood frame).
 * Warranty time period may be limited in extreme applications. See warranty for details.
 † Patent - USD621062

▲ NOT available as an Impact Shield product

FRENCH DOORS

French doors make an elegant statement like nothing else. Express your personality by creating a simple yet striking entry. Make it as ornate and beautiful as you like.



420-DS Signet® Fir shown in Pecan with Emtex Mortise Craftsman hardware in Rustic Bronze

FRENCH DOOR DETAILS

- All door styles are available as a French Door
- Available with FrameSaver® or Steel L-Frame
- Hinged on each end with door knobs in the center
- Available with either left or right active door (main entryway)
- Center astragal is attached to the inactive door and includes top and bottom slide bolts (used to open inactive door)
- Available as inswing or outswing
- Header security plate standard on frame
- Hardware Installation: locksets, deadbolts and kickplates will be installed on active and inactive doors, all other hardware on active door only
- Also available with multi-point hardware

ASTRAGAL DETAILS The French Door Astragal provides functionality and security



Astragal secures inactive door at top and bottom of your french door system



Lockable throw bolts improve security



Astragal bolt penetrates threshold allowing boot to seal, creating a better barrier against the elements




Astragal is stained to match Signet Fiberglass stained doors.

STYLES/CONFIGURATIONS

All door styles are available as a French Door.
(See pages 9-20 for [Impact Shield](#) & [Windload](#) availability)

Custom size clear glass transom



460DC-IGT 460DC-IGT



160SYA 460SYA 460SYA 160SYA



460LAU 460LAU

⚠ Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions



UNEQUAL FRENCH DOORS

Unequal french doors allow you to use the larger entry door day-to-day, yet have the option to open the smaller, inactive door to gain full access.

Available in smooth steel only.
Internal blind sizes are limited.
See Price List for details.

INSCRIBED DOORS


Elegant and refined to complement an entrance way. Each design is engraved into a Signet® Cherry fiberglass panel showcasing true richness of color and sophistication. Also available with three stainless steel inlay models.



INSCRIBED STYLES (Only available in flush Signet Cherry doors.)




STAINLESS STEEL INLAY STYLES (Only available in flush Signet Cherry doors.)



AVAILABLE COLORS

CHERRY STAINS



15-YEAR FINISH WARRANTY*

Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

DOORS WITHOUT GLASS

Doors without glass will fill your needs beautifully when privacy is needed.



◆ Only available in 42" x 96"



DOORS WITHOUT GLASS STYLE AVAILABILITY (See pages 9-20 for **Impact Shield** & **Windload** availability)

| | Doors | | | | | | | | | | | | | | | |
|--|-------|------|-----|-----|-----|------|-----|------|------|-------------|-----|-------------|---------|----------|------|-----|
| | 009 | 008P | 008 | 006 | 005 | 003M | 003 | 003C | 002S | 002C(P)-449 | 002 | 002C(P)-437 | 002-440 | 002P-440 | 001C | 001 |
| Embarq / Signet Mahogany Series | | | | • | | | • | | | | | | | | | |
| Embarq / Signet Cherry Series | • | | | • | | | • | | | • | | | • | | | • |
| Embarq / Signet Oak Series | • | | | • | | | • | | | | | | • | • | | |
| Signet Fir Series | | | | | | | | | • | | | | | | • | |
| Embarq / Signet Knotty Alder Series | | | | | | | | | | | | • | | | | |
| Signet Smooth Series | | | | | | • | | • | | | | | • | | | • |
| Heritage Woodgrain Textured Fiberglass | | | | • | | | | | | | | | | | | • |
| Heritage Smooth Fiberglass | | | | • | | | | | | | | • | | | | • |
| 20-Gauge Woodgrain Textured Steel | | | | • | | | | | | | | | | | | • |
| 20-Gauge Smooth Steel | • | • | • | • | | • | • | • | • | | • | • | | | | • |

| | 8' Doors | | | | | | |
|--|----------|------|---------|-------------|-------------|------|-----|
| | 001 | 001C | 002W(P) | 002C(P)-449 | 002C(P)-437 | 003C | 006 |
| Signet Cherry Series | • | | • | • | | | |
| Signet Fir Series | | • | | | | | • |
| Signet Knotty Alder Series | | | | | • | | |
| Signet Smooth Series | • | | | | | | |
| Heritage Woodgrain Textured Fiberglass | | | | | | | • |
| Heritage Smooth Fiberglass | • | | | | | | • |
| 20-Gauge Smooth Steel | • | | | | | | • |





All Entry Systems Without Glass are ENERGY STAR® Certified.

GLASS OPTIONS

Let a little light in! ProVia offers several options for glass accents in doors. You can choose a full panel of clear glass for an unobstructed view, privacy glass in a variety of patterns, beautiful decorative styles and hand-painted designs or internal blinds for extra privacy.

ProVia uses tempered glass in all entry doors, ensuring a hard, strong, heat-resistant panel that is less likely to cause injury if shattered.

Please refer to ProVia's **Glass Brochure**, or **scan the QR code** for all availability and options.





DECORATIVE GLASS

Highly skilled craftsmen assemble hand-beveled glass by precisely cutting, mitering, and soldering each component into artistically designed patterns. Decorative glass exhibits visual character through aesthetic imperfections. These “imperfections” mimic the hand-made glass of centuries past.



PRIVACY GLASS

Privacy glass ensures a high level of obscurement but allows soft light to filter in and illuminate a space.



ART GLASS

A ProVia exclusive, Art Glass is aptly named. Hand-stained designs are expertly crafted by artisans, resulting in a beautiful, inspirational stained glass piece of art.



INTERNAL BLINDS

Internal Blinds are constructed with sturdy aluminum and enclosed in tempered glass for ease of use and maintenance-free care, so there’s no dusting needed. Perfect for blocking the sun and restoring privacy on entry doors, sidelites, and patio doors.



CLEAR GLASS

Clear Glass is suitable for any entryway, allowing full, clear views and natural light to shine through.

SIMULATED DIVIDED LITES

Simulated Divided Lites (SDL) are reminiscent of old world craftsmanship when separate pieces of glass were mullioned together with wooden grids. We deliver that same stunning appearance through our high-tech stained fiberglass 1" wide x 1/32" thick grids combined with the energy efficient qualities of our ComforTech™ glass packages.



CRAFTSMAN

Only available for Signet® Fir Series.



CONTOURED

Available for all styles shown, except for Signet Fir Series.



BEVELED GLASS

The beauty of beveled glass and coming combine for a distinguished take on traditional divided lites.

Each piece of beveled glass is secured with coming for the beautiful look of a true divided light, with the efficiency of a single doorlight.



† For additional door panel styles see pg. 9 (for Embarq®), pg. 13 (for Signet®)

Δ Requires plugless trim

Δ Not Available with beveled glass



SIMULATED DIVIDED LITES STYLE AVAILABILITY

(See pages 9-20 for [Impact Shield](#) & [Windload](#) availability)



All entry systems with Simulated Divided Lites can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

| | Doors | | | | Sidelites | | | | 8' Doors | | 8' Sidelites | | Door Styles | | Glazing Systems | | | | | | | | |
|--|-------|-----|-----|-----|-----------|-----|-----|-----|----------|-----|--------------|-----|-------------|-----|-----------------|-----|-----|-----|---------------------|-----|-----|-----|----|
| | 460 | 440 | 449 | 430 | 420 | 419 | 230 | 240 | 160 | 140 | 130 | 120 | 440 | 420 | 430 | 437 | 140 | 120 | HALF-LITE OR LARGER | TLK | TLA | DLA | DC |
| Embarq / Signet Mahogany Fiberglass | • | • | • | • | • | • | | | • | • | | | | | | | | | | | | • | • |
| Embarq / Signet Cherry Fiberglass | • | • | • | • | • | • | | | • | • | • | | * | | | | | | | | | • | • |
| Embarq / Signet Oak Fiberglass | • | • | • | • | • | • | | | • | • | • | | | | | | | | | | | | |
| Signet Fir Fiberglass | | | | | • | | | | | | | • | | | | | | | | | | | |
| Embarq / Signet Knotty Alder Fiberglass | • | | • | | | | | | • | | | | | | | | * | * | * | | | | |
| Signet Smooth Fiberglass | • | • | | | | | | | • | • | | | | | | | | | | | | | |
| Heritage Woodgrain Textured Fiberglass ▲ | • | • | • | | | • | | | • | • | • | | | | | | | | | | | | |
| Heritage Smooth Fiberglass ▲ | • | • | | | | • | | | • | • | • | | | | | | | | | | | | |
| 20-Gauge Woodgrain Textured Steel ▲ | • | • | • | | | • | | | • | • | • | | | | | | | | | | | | |
| 20-Gauge Smooth Steel ▲ | • | • | • | | | • | • | | • | • | • | | | | | | | | | | | | |

• ENERGY STAR Certified

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

† For additional door panel styles see pg. 9 (for Embarq®), pg. 13 (for Signet®)
 * Embarq doors and sidelites are not available in 8' heights
 ▲ Requires plugless trim

Δ Not Available with beveled glass

LIFETIME LIMITED WARRANTY
 Includes Glass Breakage & Seal Failure

All doors and sidelites with SDL's are available with privacy glass.
 SDL's match stain or paint of door.

SIMULATED DIVIDED PANELS

For a stylish and modern look, Simulated Divided Panel fiberglass doors feature wider SDL's (3" and 5" options) applied to the surface of glass on a 460 style Fir door or directly onto the skin of a 001 style Fir door. Numerous configurations and endless paint, glaze or stain colors allow you to create a door design that is contemporary, sophisticated and on-trend.

Available only in Signet® Fir with Clear glass or Privacy glass.
Simulated Divided Panel designs cannot be customized.



460 M3 Signet Fir shown in Honey Wheat with Chinchilla Privacy Glass and Schlage® hardware in black





460-C5 160-C5 460-T3-3L 160-T3-3L 460-T5-4L 160-T5-4L 460-T3-5L 160-T3-5L 460-T3-6L 160-T3-6L 460-UM-7L 160-UM-7L



460-T5-8L 460-M3 001C-U5-2P 001C-T3-3P 001C-T3-4P 001C-T3-5P 001C-U5-4P



001C-U5-6P 001C-CB 001C-CB-S 001C-CB-D

8' DOORS




460-C5 160-C5 460-T3-3L 160-T3-3L 460-T5-4L 160-T5-4L 460-T3-5L 160-T3-5L 460-T3-7L 160-T3-7L



460-UM-10L 160-UM-10L 460-T5-8L 460-M3


INTERNAL GRIDS

INTERNAL GRID OPTIONS



*Pencil Grids are not available in Single/Double Prairie Grids on some doors and transoms.

CONTOURED GRID COLORS AND STAINS



TWO-TONE CONTOURED GRIDS



INTERNAL GRIDS STYLE AVAILABILITY

| | Doors | | | | | | | | Sidelites | | | | 8' Doors | | | | 8' Sidelites | | | | Door Styles | | Glazing Systems | | | | | |
|-------------------------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----------|-----|-----|-----|----------|-----|-----|-----|--------------|-----|-----|-----|-------------|-----|-----------------|-----|-----------------------------------|---------------------|-----|-----|
| | 460 | 449 | 440 | 437 | 430 | 240 | 230 | 420 | 419 | 400 | 770 | 160 | 140 | 130 | 120 | 460 | 420 | 440 | 430 | 437 | 160 | 140 | 130 | 120 | 770 | HALF-LITE OR LARGER | TLA | DLA |
| Embarq / Signet Mahogany Series | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | | | | | | | | | 460, 440, 430, 240, 230 | • | • | • |
| Embarq / Signet Cherry Series | • | • | • | • | • | • | • | • | • | • | • | • | • | • | * | | | | | * | | | | * | | • | • | • |
| Embarq / Signet Oak Series | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | | | | | | | | | 430, 440 Heritage Fiberglass only | • | • | • |
| Signet Fir Series | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | | • | • | | | • | | • | • | • |
| Embarq / Signet Knotty Alder Series | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | * | * | | * | * | | | * | 449, 437 | | • | • |
| Signet Smooth Series | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | | • | • | | | • | SMALLER THAN HALF-LITE | | | |
| Heritage Textured Fiberglass | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | | • | • | | | • | 420, 419, 400 | • | • | • |
| Heritage Smooth Fiberglass | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | | • | • | | | • | | • | • | • |
| 20-Gauge Woodgrain Textured Steel | • | • | • | • | • | • | • | • | • | • | o | o | o | o | | | | | | | | | | | | | | |
| 20-Gauge Smooth Steel | • | • | • | • | • | • | • | • | • | • | o | o | o | o | • | • | | | | • | • | | | • | | | | |



All entry systems with Internal Grids can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

• ENERGY STAR Certified

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

* Embarq doors and sidelites are not available in 8' heights
o Steel sidelites are made from 24-Gauge steel



§ Also available in 10" width.
 ** Requires an additional 4-week lead time
 † For additional door panel styles see pg.9 (for Embarq®), pg.13 (for Signet®), pg. 15 (for Heritage™) or pg. 17 (for Legacy™)
 ☼ Cannot be mulled with Heritage Fiberglass doors in Certified Wind Load regions
 * In Certified Wind Load region, indicated transoms must be installed in a separate opening or use approved engineering mulls

TRANSOMS



512/513DC-IGS☼
Not available in Pencil Grids



516DC-IGS*



712/713DC-IGS**☼
Not available in Pencil Grids



532DC-IGS*



612/613DC-IGS☼
Not available in Pencil Grids



612/613DC-IGT☼



616DC-IGT☼



616DC-IGP☼

INTERNAL GRIDS CONT'D



- § Also available in 10" width.
- ** Requires an additional 4-week lead time
- † For additional door panel styles see pg. 9 (for Embarq®), pg. 13 (for Signet®), pg. 15 (for Heritage™) or pg. 17 (for Legacy™)
- ☼ Cannot be mullied with Heritage Fiberglass doors in Certified Wind Load regions
- * In Certified Wind Load region, indicated transoms must be installed in a separate opening or use approved engineering mulls



EXTERNAL GRIDS



160DC-EG 460DC-EG 160DC-EG



130DC-EG 430DC-EG† 130DC-EG



439DC-EG



230DC-EG



410DC-EG Δ



400DC-EG†

External grids will match the door's paint or stain color.

EXTERNAL GRID STYLE AVAILABILITY

| | Doors | | | | | | Sidelites | |
|--|-------|-----|-----|-----|-----|-----|-----------|-----|
| | 460 | 430 | 439 | 230 | 410 | 400 | 160 | 130 |
| Heritage Woodgrain Textured Fiberglass | • | • | • | • | • | • | • | • |
| Heritage Smooth Fiberglass | • | • | • | • | • | • | • | • |
| 20-Gauge Woodgrain Textured Steel | • | • | • | • | • | • | ○ | ○ |
| 20-Gauge Smooth Steel | • | • | • | • | • | • | ○ | ○ |

† For additional door panel styles see pg. 15 (for Heritage™) or pg. 17 (for Legacy™)

Δ Not available in 1" ComforTech Glazing System. Also, window trim screw plugs are not available for this door style.

○ Steel sidelites are made from 24-Gauge steel



All entry systems with External Grids can be ENERGY STAR® Certified depending on the glazing system you choose. This chart indicates which glazing system is required for ENERGY STAR certification, as well as availability.

| Door Styles | Glazing Systems | | | |
|------------------------|-----------------|-----|-----|----|
| | TLK | TLA | DLA | DC |
| HALF-LITE OR LARGER | | | | |
| 460, 430, 439, 230 | • | • | • | • |
| SMALLER THAN HALF-LITE | | | | |
| 410 | | | | • |
| 400 | • | • | • | • |

• ENERGY STAR Certified

Since Low-E glass has a slight color tint, it is recommended that sidelites are ordered with the same glazing system as the door.

LIFETIME LIMITED WARRANTY
Includes Glass Breakage & Seal Failure

STAIN FINISHES

Applied with care, by professionals. If you buy an entry system and finish it yourself, chances are it's the first door you've ever painted or stained. At ProVia®, stains are hand-applied by professional craftsmen, many who have been perfecting their work for years.



EMBARQ® & SIGNET®

7-STEP STAIN FINISHING SYSTEM



1. **DURAFUSE™** - Proprietary P³ Fusion Preparation Processes ensuring unprecedented finish durability
2. **HAND-APPLIED STAIN FINISH** formulated exclusively for Signet fiberglass doors
3. A layer of 2-part urethane, catalyst-hardened **CLEAR COAT WITH UV INHIBITORS** is applied
4. Clear coat is **OVEN-CURED** for lasting durability
5. The door is **HAND-SANDED**, preparing the surface for the second layer of clear coat
6. A second layer of 2-part urethane, catalyst-hardened **CLEAR COAT WITH UV INHIBITORS** is applied
7. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

Cherry & Mahogany Stains (shown on Cherry)



Oak, Knotty Alder & Fir Stains (shown on Oak)



15-YEAR FINISH WARRANTY*
Embarq and Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

Stain finishes may look slightly different depending on the skin species selected.

Always refer to our color selector for accurate color representation.

EMBARQ® & SIGNET® GLAZED FINISHES

Distinctive beauty achieved through a creative hand-applied finish giving each door a unique aged look.

9-STEP GLAZED FINISHING SYSTEM



1. **DURAFUSE™** - Proprietary P³ Fusion Preparation Processes ensuring unprecedented finish durability
2. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied
3. Base coat is **OVEN-CURED** for lasting durability
4. **HAND-APPLIED STAIN FINISH** formulated exclusively for Signet fiberglass doors
5. A layer of 2-part urethane, catalyst-hardened **CLEAR COAT WITH UV INHIBITORS** is applied
6. Clear coat is **OVEN-CURED** for lasting durability
7. The door is **HAND-SANDED**, preparing the surface for the second layer of clear coat
8. A second layer of 2-part urethane, catalyst-hardened **CLEAR COAT WITH UV INHIBITORS** is applied
9. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

Knotty Alder, Mahogany, Fir, Cherry & Oak Glazed Finishes *(Shown on Oak)*



Natural Leather



Winter Rain




Rustic Sage



Red Velvet



Dutch Gray



Windy City



River Gorge

15-YEAR FINISH WARRANTY*
Embarq and Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

Glazed finishes may look slightly different depending on the skin species selected.

Always refer to our color selector for accurate color representation.

HERITAGE™ FIBERGLASS & LEGACY™ STEEL

LEGACY

6-STEP STAIN FINISHING SYSTEM



1. Steel doors are **A40 Hot-dipped Galvannealed** (300% more coating thickness than 40Z full electrolytic zinc coated steel) to resist rust inside and out
2. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
3. Base coat is **OVEN-CURED** for lasting durability
4. **HAND-APPLIED STAIN FINISH** is added for enhanced beauty
5. A layer of 2-part urethane, catalyst-hardened **CLEAR COAT WITH UV INHIBITORS** is applied
6. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

HERITAGE

5-STEP STAIN FINISHING SYSTEM



1. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
2. Base coat is **OVEN-CURED** for lasting durability
3. **HAND-APPLIED STAIN FINISH** is added for enhanced beauty
4. A layer of 2-part urethane, catalyst-hardened **CLEAR COAT WITH UV INHIBITORS** is applied
5. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

Heritage & Legacy Stains (shown on Oak)



Natural Oak




Light Oak



Oak




Dark Oak



Walnut



Cherry



Dark Mahogany

10-YEAR FINISH WARRANTY*
Heritage and Legacy Doors

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

Stain finishes may look slightly different depending on the skin species selected.


Always refer to our color selector for accurate color representation.

PAINT FINISHES

We do the finishing, so you don't have to.

You wouldn't try to paint a car yourself, so why should it be any different when it comes to staining or painting your entry door?

EMBARQ®, SIGNET®, HERITAGE™ & LEGACY™ PAINT FINISHES



↗ Denotes Trending Color

Always refer to our color selector for accurate color representation.

CUSTOM PAINT COLORS

Still searching for the perfect color?

Custom color-matching is available on our Entry Doors.

Custom stains also available on Signet Fiberglass Entry Doors.

Additional lead-time required.



EMBARQ AND SIGNET

5-STEP PAINT FINISHING SYSTEM



1. **DURAFUSE™** - Proprietary P³ Fusion Preparation Processes ensuring unprecedented finish durability
2. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
3. Base coat is **OVEN-CURED** for lasting durability
4. The door is then coated with a 2-part urethane, catalyst-hardened **FINISH COAT**
5. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish


15-YEAR FINISH WARRANTY*

Embarq and Signet Fiberglass

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

LEGACY

5-STEP PAINT FINISHING SYSTEM



1. Steel doors are **A40 Hot-dipped Galvannealed** (300% more coating thickness than 40Z full electrolytic zinc coated steel) to resist rust inside and out
2. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
3. Base coat is **OVEN-CURED** for lasting durability
4. The door is then coated with a 2-part urethane, catalyst-hardened **FINISH COAT**
5. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish

HERITAGE

4-STEP PAINT FINISHING SYSTEM



1. A 2-part urethane, catalyst-hardened **BASE COAT** (prime paint) is applied by a robotic reciprocating paint system
2. Base coat is **OVEN-CURED** for lasting durability
3. The door is then coated with a 2-part urethane, catalyst-hardened **FINISH COAT**
4. The door is **OVEN-CURED** a second time, creating a long-lasting, durable finish


10-YEAR FINISH WARRANTY*

Heritage and Legacy Doors

*Warranty time period may be limited in extreme exposure applications. See warranty for details.

HARDWARE

We offer a variety of designs and finishes all with their own security features, unique functionality, and advanced technology. You'll be sure to find the features and design that will ensure your front door is the perfect complement to your new entryway.



See entry door hardware styles, colors and operation videos on our website.



420-DS Signet® Fir in Caramel
with Black Schlage® Addison hardware

PANOLOCK® MULTI-POINT LOCK



PanoLock® is the first and only multi-point lock that works with multiple hardware options, bringing security and performance to every entry and hinged patio door.



A. Tapered bolt.

Unlike other locks that tend to catch, PanoLock's tapered bolts engage easily, even when the door is out of alignment.

B. Adjustable roller strike.

Rollers lower operating force and allow the tapered bolt to gently snug the door panel against the weatherstrip.

STRENGTH

PanoLock offers enhanced strength and security vs. standard locking systems.

ENHANCED PERFORMANCE

Equipped with two tapered locks, PanoLock provides enhanced performance while reducing operation force.

ULTIMATE SECURITY

PanoLock features roller strike plates equipped with extra anchor screws enhancing security.

FLEXIBILITY

PanoLock can be used on both inswing and outswing applications.



NO HARDWARE CONSTRAINTS

Thumb press, lever or knob-Panlock has the ability to be paired with several hardware brands, including Schlage® and Emtek® (non-mortise). Some of the options available to you are shown below.

EMTEK



SCHLAGE



1 Tapered Bolt

SECURITY SIMPLIFIED

PanoLock allows you to enjoy the strength and security of a multi-point lock with the ease of operation of a standard handle set. A simple rotation of the key or thumb turn activates the **top and bottom tapered bolts**.

PanoLock is available on standard height and 8' foot doors.

Latch Bolt

FACEPLATE FINISHES

Brushed Clear Anodized



Victorian Bronze



2 Tapered Bolt



TRILENNIUM® MULTI-POINT HARDWARE

Trilennium® Multi-Point Locking System provides ultimate protection and peace of mind with the power of three full deadbolts and a solid lock design that even strengthens the door panel.

Trilennium hardware is an option for all standard size and 8' Signet® and Heritage™ fiberglass doors.

Also available on all 20-gauge Legacy™ steel doors. | NOT available on Steel L-Frames

Trilennium hardware has a 10-Year warranty on materials and workmanship.

ECLIPSE



PINNACLE (Not available in Black Finish)



WESTCOTT (Not available in Bright Brass Finish)



AVAILABLE FINISHES

Lifetime Bright Brass

Lifetime Satin Nickel

Lifetime Flat Bronze*

Lifetime Black

* Flat Bronze does not coordinate with Black/Bronze accessories.

Lifetime finish warranty time period is limited to five years if product is installed in a coastal region.

The Trilennium Multi-Point locking system provides more than just security. It offers homeowners better door closure and sealing than a single point lock.

- Three 1" deadbolts latch with deadbolt throw.
- Deadbolts include anti-saw hardened steel pin.
- A solid I-beam runs the full length of the lock, and increases the strength and precision of the lock.
- Latch and deadbolt release with a single downward movement.



Top and bottom latch design allows for door misalignment and $\frac{3}{8}$ " pull-in when deadbolted.



HOPPE® MULTI-POINT HARDWARE

Hoppe Multi-Point hardware offers the additional security of four points of latching when the door is locked, and the easy operation of one point of latching when the door is unlocked.

NEW ORLEANS CONTEMPORARY ARCH

Exterior



Interior



- Stainless Steel and other non-corrosive components.
- Anti-Back Drive prevents locking points from disengaging from the outside for added security.
- Latch Blocker on inactive systems will not allow multipoint activation until inactive system is activated.
- Lock Out Feature on interior system allows for multipoint activation from the exterior of the door by lifting handle.
- Backplate and cylinder housing are forged into one piece for improved appearance and easier installation.
- Simultaneous retraction feature enables all locking points to be retracted by pushing down on the inside handle.

NEW ORLEANS CLASSIC ARCH

Exterior



Interior



AVAILABLE FINISHES

Lifetime Bright Brass

Lifetime Satin Nickel

(Hoppe hardware is NOT tested for Certified Wind Load or Impact Shield regions)

Lifetime finish warranty time period is limited to five years if product is installed in a coastal region.

*Not available on steel I-frames, patio units, and french doors

MULTI-POINT LOCKING

(Lock body faceplate is only available in stainless steel)


A
Three Point Deadbolt lock is engaged by lifting handle upward

B
Handleset latch

TO LOCK:

Step 1: Turn thumbturn $\frac{1}{4}$ turn counterclockwise

Step 2: Lift handle upward



EMTEK® MORTISE HARDWARE

EMTEK's Mortise hardware features the added advantages and options that come with push-button controls.

EXTERIOR STYLES

Craftsman • Δ



Memphis •



Manhattan • Δ



Adelaide Δ



INTERIOR STYLES

Hammered
Lever Δ •
(Recommended
on Craftsman)



Oval Beaded
Egg •
(Recommended
on Memphis)



Coventry Lever ◊ •
(Recommended on
Memphis)



Square Knob • Δ
(Recommended on
Manhattan)



Helios Lever Δ
(Recommended on
Adelaide)



Δ Not available in Bright Brass ◊ Not available in Black
• Not available in Satin Brass

- Heavy-duty forged brass construction
- Solid brass nose bolts on latches
- Lifetime mechanical warranty
- Lifetime anti-tarnish finish warranty

NEW NEW SIMPLE, STRAIGHT-FORWARD DESIGN

Forged Deadbolt with Anti-Saw Inserts

Anti-Pick Security Latch

Anti-Friction Trigger

(EMTEK Mortise hardware is NOT tested for Certified Wind Load or Impact Shield regions)

Lifetime finish warranty time period is limited to five years if product is installed in a coastal region.

(EMTEK Mortise hardware is only available for Signet Fiberglass and 20-gauge steel doors)

AVAILABLE FINISHES

Lifetime Bright Brass

Lifetime Satin Brass

Lifetime Satin Nickel

Lifetime Oil Rubbed Bronze

Lifetime Black



EMTEK® HARDWARE

EMTEK's unique Interconnect Device provides the security of a locking deadbolt while providing the means for a panic-proof exit. Turning the interior knob or lever simultaneously retracts both the deadbolt and passage latches.

EXTERIOR STYLES (Single Point Lock)

Melrose Δ



Marietta Δ



Orleans • ◇



Davos Δ



MODERN RECTANGULAR (Two Point Lock)

Panic-proof exit not available in Modern Rectangular hardware

Round Knob Δ



Hanover Lever Δ



INTERIOR STYLES

Egg Δ
(Recommended on Melrose)



Egg Δ
(Recommended on Marietta)



Cortina • ◇
(Recommended on Orleans)



Stuttgart Δ
(Recommended on Davos)



Round Knob Δ



Hanover Lever Δ



- Heavy-duty forged brass construction
- Durable springs
- Threaded brass tubes
- Lifetime mechanical warranty
- Lifetime anti-tarnish finish warranty

AVAILABLE FINISHES

Lifetime Bright Brass

Lifetime Satin Brass

Lifetime Satin Nickel

Lifetime Oil Rubbed Bronze

Lifetime Black

Lifetime finish warranty time period is limited to five years if product is installed in a coastal region.



BRINKS® PUSH PULL ROTATE HARDWARE

Brinks' Home Security Push Pull Rotate Knobs and Levers are the easiest, most comfortable way to open a door. With just one finger, an elbow, or your hip, you can simply push or pull your way through a door. Great if you have your hands full or free!

EXTERIOR STYLES

Anderson with
Celia Deadbolt*



Harper Lever with
Almarrion Deadbolt



Stafford Knob with
Almarrion Deadbolt*



INTERIOR STYLES

Harper Lever with
Celia Deadbolt



Harper Lever with
Almarrion Deadbolt



Stafford Knob with
Almarrion Deadbolt*



**not available for outswing doors*



AVAILABLE FINISHES


10-Year Satin Nickel

10-Year Aged Bronze

Finish warranty time period is limited to five years if product is installed in a coastal region.

EXTERIOR / INTERIOR AVAILABLE COMBINATIONS

| Exterior Handles | Interior Levers and Knobs | |
|------------------|---------------------------|---------------|
| | Harper Lever | Stafford Knob |
| Anderson | • | |
| Harper | • | |
| Stafford | | • |



SCHLAGE® VINTAGE HARDWARE

Schlage Vintage hardware offers more than just great looks, it is made to last.

EXTERIOR STYLES

Addison*



Camelot



Plymouth



- Solid cast brass
- Maximum security deadbolt
- Nickel silver pins and keys
- Heavy duty springs
- Superior parts and design
- Lifetime mechanical warranty
- Lifetime anti-tarnish finish warranty

AVAILABLE FINISHES

Lifetime Bright Brass

Lifetime Satin Nickel

Lifetime Antique Brass

Lifetime Black

Lifetime finish warranty time period is limited to five years if product is installed in a coastal region.

INTERIOR STYLES

Georgian



Accent



Flair



Accent/Addison*



* Not available in Bright Brass finish

SCHLAGE® ELECTRONIC KEYPADS

NEW SCHLAGE ENCODE PLUS™ SMART WIFI DEADBOLT

Smart. Simple. Secure.

Schlage's next generation smart lock offers consumers unparalleled flexibility with new smart home capabilities that provide even greater convenience and security for home access control.



- Offers iOS and Android compatibility
- Remotely (un)lock, check status, manage 100 pin codes (24/7, schedules, temporary), receive notifications, see lock history
- Voice control with Alexa or Google Assistant



- First major North American lock brand to support new home keys for iPhone and Apple Watch feature (coming with iOS 15 release, no Apple hub required to use home keys)
- HomeKit experience: (Un)Lock from phone/watch app, status, 24/7 pin codes*, Siri voice control, notifications
- Remote connectivity and automations through HomeKit require an Apple home hub

Camelot



Century



AVAILABLE FINISHES

Lifetime Satin Nickel

Lifetime Black

ELECTRONIC DEADBOLT

ELECTRONIC KEYPAD DEADBOLT

ACCENT LEVER ELECTRONIC LOCKSET



Exterior

Interior

Exterior

Interior

AVAILABLE FINISHES

Lifetime Bright Brass

Lifetime Satin Nickel

Lifetime Antique Brass

Lifetime Black

Electronic locksets and deadbolts utilize Schlage's Innovative keyless access. It's convenient and is customizable to fit your security needs.

- Deadbolt is available with any Schlage entry hardware
- 9-volt battery included
- Lighted keypad
- Up to 19 user codes
- Easy to add or delete codes
- Lifetime Mechanical and 3-Year Electronics Warranty

Lifetime finish warranty time period is limited to five years if product is installed in a coastal region.

SCHLAGE® CLASSIC HARDWARE

Schlage Classic hardware can fill your needs when you desire something understated, yet beautiful and lasting. Choose from an assortment of finishes.

SCHLAGE CLASSIC DOOR LOCKSETS AND DEADBOLTS



Accent/Addison Keyed Lockset*



Accent Keyed Lockset



Exterior Interior
Georgian Key in Knob Lockset



Flair Keyed Lockset



Latitude Lever with Century Trim Keyed Lockset §



Latitude Lever with Collins Trim Keyed Lockset



Addison Trim *



Exterior Interior
Maximum Security Double Key 1" Deadbolt ◇



Interior Only 1-Sided Thumbturn 1" Deadbolt ◇
(Only available in 20-Gauge Steel or Signet Fiberglass)



Century Trim §



Thumbturn 1" Deadbolts

◇ Interior Only 1-Sided Thumbturn Deadbolts on any door which is used for egress may be a safety hazard in times of emergency. Double Key Deadbolts on any door which is used for egress are a safety hazard in times of emergency.
* Not available in Bright Brass finish
§ Only available in Satin Nickel and Lifetime Black finish

SCHLAGE PASSAGE LATCHES



Accent/Addison Passage Latch*



Accent Passage Latch



Latitude Lever with Century Trim §



Latitude Lever with Collins Trim



Flair Passage Latch



Georgian Passage Latch

SCHLAGE CLASSIC HARDWARE FINISHES

Lifetime Bright Brass

Lifetime Satin Nickel

Lifetime Antique Brass

Lifetime Black

Lifetime finish warranty time period is limited to five years if product is installed in a coastal region.

OPTIONAL ACCESSORIES

Sometimes the smallest things make the biggest difference. Our accessories add a lot to the look of your entry system.




Decorative Hinges

Also available in Satin Nickel & Oil Rubbed Bronze (Inswing only)
NOT tested for Impact Shield regions.



FINISHES



ACCESSORIES FINISH AVAILABILITY 5-Year Mechanical Warranty

| Accessories | Lifetime Finish | | | | 5-Year Finish | | No Finish Warranty | Impact Shield 5-Year Finish |
|-----------------------------|-----------------|-------------|--------------|--------------|---------------|---------------|--------------------|--|
| | Bright Brass | Satin Brass | Satin Nickel | Black/Bronze | Bright Brass | Antique Brass | Oil Rubbed Bronze | Bright Brass, Satin Nickel, Black/Bronze and Satin Brass |
| Colonial Door Knocker | • | | • | | | | • | • (N/A Black/Bronze) |
| Classic Door Knocker/Viewer | • | • | • | • | • | • | | • |
| Classic Door Knocker | • | • | • | • | • | • | | • |
| Magazine Slot* | • | • | • | • | • | • | | |
| Mail Slot* | • | • | • | • | • | • | | |
| Kick Plate | • | • | • | • | • | • | | • |

* Mail slot and magazine slot are not available on 003C, 006C, 008P, 009, 420-DS, 420-2P, 420-3P, 110, 243, 440, 240, 449, 460, & 350 door styles. Additionally, magazine slots are also not available on 002C-449 & 003 door styles.

** Peepsite available in Bright Brass, Chrome (recommended for use with Satin Nickel hardware finish) and Aged/Antique (recommended for use with Black, Oil Rubbed Bronze or Antique Brass hardware finish) with 5-year finish warranty.

ENTRY DOOR OPTIONS

The Hinge Straps, Clavos and Speakeasy are options that can give your entryway an old world look. Combine these options with our Signet® Knotty Alder Series to achieve a rustic or antique style. Hinge Straps, Clavos and Speakeasy are constructed of durable flat black aluminum.



HINGE STRAPS Available on all door styles shown on opposite page

 Available as an Impact Shield product.



CLAVOS Available only on door styles shown with planks on opposite page (002CP-449, 002CP-437, 8' 002CP-449 and 8' 002CP-437)

 Available as an Impact Shield product.



SPEAKEASY Available on all door styles shown below except for 8' 002C-437 and 8' 002CP-437

NOT tested for Certified Wind Load or Impact Shield regions. (Doors with Speakeasy are not ENERGY STAR® certified.)

ProVia® does not recommend entry doors with Speakeasy applications in the Northern climate zone. We also recognize some of the North-Central climate zone areas are not suitable for this application as well. We recommend this application to be used only in the South-Central and Southern climate zones. Speakeasy applications carry a 5-year limited warranty. See price book for more details.



Exterior

Interior

IRON DOOR

Not available on Embarq



Exterior

Interior

SEA SPRAY GLASS DOOR

(single pane)


Not available on Embarq

FAUX SPEAKEASY

Enjoy the decorative look of a speakeasy without impeding the energy efficiency of the entry door. Available on all door styles shown below.



SIGNET® & EMBARQ® FIBERGLASS DOOR STYLES



002C-449

002CP-449

002-440

002P-440


002C-437

002CP-437

- ⌘ Signet/Embarq Cherry
- + Signet/Embarq Oak
- Signet/Embarq Knotty Alder
- Signet Smooth

Embarq doors can only use the Faux Speakeasy

8' SIGNET FIBERGLASS DOORS



002C-449

002CP-449

002C-437

002CP-437

ENTRY DOOR OPTIONS



PlexiDor® PET DOOR

(NOT available in Certified Wind Load or Impact Shield regions)
(Doors with Pet Door are not ENERGY STAR® certified)

Factory Installed - Available on Flush Doors Only

- Shatter resistant saloon-styled door panels provide durability and insulation
- Thermo-pane panels lined with high density weather seal for maximum energy efficiency
- Includes lock, two keys & steel security plate
- Available in White, Silver, and Bronze frames
- Available on the following styles: 001, 430DC-F, 430VNT-F, 430DC-EG-F, 430DC-IGT-F, 100DC, 101DC, 131DC & 306DC

Medium: 9" x 12" opening for pets up to 40 lbs.
Large: 11¾" x 16" opening for pets up to 100 lbs.
X-Large: 15¾" x 23½" opening for pets up to 220 lbs.




FREEDOM® PET DOOR

(NOT available in Certified Wind Load or Impact Shield regions)
(Doors with Pet Door are not ENERGY STAR® certified)

Factory Installed - Available on Flush Doors Only

- Solid aluminum construction with locking panel
- Soft single flap for tight weather seal
- Antique White mitered aluminum frame
- Available on the following styles: 001, 430DC-F, 430VNT-F, 430DC-EG-F, 430DC-IGT-F, 100DC, 101DC, 131DC & 306DC
- Also available on storm doors.

Medium: 8¼" x 12¼" opening for pets up to 40 lbs.
Large: 10¼" x 16¼" opening for pets up to 100 lbs.
X-Large: 13¾" x 23¾" opening for pets up to 220 lbs.



CASING

Put the finishing touch on the inside of your entryway with our beautiful interior casing. Available in Cherry, Mahogany, Fir, Oak or Poplar wood.



2 1/2" Modern ▲



2 1/2" Colonial ▲



3 1/2" Colonial ▲



2 1/2" Flat*



3 1/2" Flat*

Available for any door configuration including transoms.


Signet® stains are available on Cherry, Mahogany, Oak or Fir casing, and Heritage™ and Legacy™ stains are available on Oak or Poplar casing. Paint and glazed finishes are available on Poplar casing.

Custom Casing

Don't see a casing style you need? We have a custom casing program that can meet your needs. Contact your dealer for additional information on our Custom Casing program.


* Only available in Fir and Poplar

▲ NOT available in Fir



3" Wide Brickmold

Choose from our standard 2" brickmold or our wider 3" brickmold.



ALUMINUM PRE-FIT CLADDING

Cladding is worth the small investment. You can add cladding to any FrameSaver® or PermaTech™ Composite Frame.

- Protective
- Maintenance-free
- Stays beautiful
- Factory applied

TEXTURED CLADDING COLORS

| | | |
|-----------------|-------------|----------------|
| Snow Mist | Café Cream | Chateau |
| Sandpiper Beige | Sandstone | Sterling Gray |
| Clay | Geneva Blue | Forest Green |
| Enzian Blue | Vallis Red | Mountain Berry |
| Tudor Brown | Oak | Cherry |
| Rustic Bronze | Coal Black | Nightfall |

TUFTEX SMOOTH CLADDING COLORS

Aluminum trim coil with mar-resistant smooth finish.

| | | | |
|-----------|-----------------|------------|-----------------|
| Snow Mist | Sandpiper Beige | Sandstone◊ | Classic Bronze* |
|-----------|-----------------|------------|-----------------|

◊ Smooth Sandstone cladding is a close match, but not an exact match to Sandstone paint color.

* Smooth Classic Bronze cladding does not match Rustic Bronze cladding color or Rustic Bronze paint color.

HINGED PATIO DOORS

Hinged Patio Doors are swinging patio door systems available in 2 or 3-lite units and constructed of the same solid quality Signet® and Heritage™ Fiberglass, and Legacy™ Woodgrain Textured or Smooth Steel doors as our entry door units.

Hinged Patio Doors with Heritage Fiberglass are NOT available in Certified Wind Load regions.



460 Signet Smooth Hinged Patio shown in Snow Mist White with Schlage Flair Passage Latch

PATIO DOOR STANDARD FEATURES



A keyed Schlage® Flair handleset with a Maximum Security Thumbturn deadbolt is included. Choose from bright brass, antique brass, satin nickel or black finish.



The lock area is reinforced with a 20-gauge steel security plate for added strength.



Spring-loaded latch system automatically engages upon closing. Latch also includes interior locking feature. BetterVue® fiberglass screen mesh is standard. Heavy-duty fiberglass, aluminum or SeeVue® stainless steel screen is optional.



Suspended by ball bearing rollers this top-hung heavy-duty aluminum screen frame reduces binding, creating effortless operation. Screen frames are available in all standard paint colors.



Z-AC™ Threshold with an auto-adjusting riser. Available in Mill or Anodized Bronze Finish.

OPTIONS


Custom Widths and Heights - Need a little more height or a little less width? We are pleased to offer customized patio door widths and heights in 1/8" increments.

Door Swing - (Doors viewed from above. Inswing only.)

Finishes - Patio doors are available in all finishes shown on pages 37-42.


* Optional Aluminum Frame Cladding will increase brickmold to brickmold width by 1/4" and height by 1/8". Not all sizes available in all door types.

DOOR SWING




STORM DOORS

Every storm door is individually customized to the highest standards in the residential market for homeowners who appreciate impeccable, uncompromising quality. Please see ProVia Storm Door brochure or scan QR code for all options.



Deluxe 397 Storm Door in Rustic Bronze



Smooth function is essential. That's why we include a **quality door closer** in every storm door package. Varies by model.

Our air release system features a continuous closing action without the delayed rebound action of previous generation closers.



Extruded aluminum frame adds beauty to your door by virtue of the rounded cove molding along the glass edge of the extrusion.




You'll appreciate the finished look of our **color matched aluminum installation screw covers**.



All our storm doors are constructed with **tempered safety glass**.

Non-operable sashes are secured by our **color matched polycarbonate clips** or an **internal sash lock system**. Varies by model.



Durable, oven-baked polyester finishes are backed by a Lifetime Warranty for lasting beauty and low maintenance.

Each door features **quality hardware** that adds beauty and functionality to your new storm door. Varies by model.



Corrosion-proof corner gussets enhance the structural integrity of the door.




Our **bottom expander with sweep** allows for a beautiful custom-fit to any entry. Varies by model.

DISCOVER MORE

WEBSITE

ProVia.com makes it easy to explore and compare numerous door, window, siding, stone or roofing options in a straightforward, interactive way. Configure a door or window, visualize products on your home, explore color palettes, and learn about different architectural styles—all from our innovative Design Center. Save your favorite products, colors, photos or ideas throughout the site into your own ProVia portfolio for reference any time and share them across your favorite social media platforms. ▶



VISUALIZER

Let your imagination run free with this exterior home design tool. Select from a library of existing home styles or upload a photo of your own home.

In a few easy steps, update your siding color, add stone or metal roofing, configure windows, or create a one-of-a-kind entry door system.

Looking for professionally inspired color and product palettes? Apply one of our pre-selected Designer Collections to create a curb-appealing look. ▾





APP

Use the ProVia app to configure doors and windows or select from an extensive collection of vinyl siding, manufactured stone and metal roofing styles.


FEATURES

- Door and Window Configuration
- Vinyl Siding Profiles, Colors and Accessory Accents
- Manufactured Stone Styles, Color Palettes and Grout Options
- Metal Roofing Profiles, Trims and Colors
- Videos, Photo Galleries and Catalogs
- ProVia Dealer Locator



SOCIAL MEDIA

We love seeing how you apply our products to your home. Please share your photos with us.



ELEVATE YOUR
ENTRYWAYS
WITH A PROVIA
DOOR.





460 Legacy Steel French Doors
in Rustic Bronze with Colonial Grids



“To serve, by caring for details in ways others won’t.” It’s not just our mission, but a way of letting our light shine every day at ProVia®. We continually strive to put these words into action by providing unmatched quality and service. The P-icon symbolizes each employee’s commitment to devoting the utmost care, pride and quality into each building product we manufacture...it’s The Professional Way.



At ProVia, we manufacture energy efficient products and exercise corporate environmental stewardship by recycling, reducing pollution emissions and much more. In fact, our company has received repeated awards from the Environmental Protection Agency such as Partner of the Year - Sustained Excellence for Door and Window Manufacturing.



DOORS | WINDOWS
SIDING | STONE | ROOFING
provia.com

© 2023 ProVia
P-MK-03000-23 | 11/22

Distributed by: